



VOSA SMOKE LIMIT UPDATE

Disk includes:
WUKS2 Diesel Smoke
Version 1.1.14 or later

Version 2.0.10 or later, suitable for
700 Series machines only

Includes new smoke limit for vehicles first used after 01 July 2008

IMPORTANT:

VOSA state that the reduced smoke limit will not form part of the MOT test until July 2011. Do not use the new test option until the new limits are officially introduced to the MOT test.



Dear Customer

Please follow the instructions below carefully to ensure a trouble free installation of this smoke program update.

The software will automatically install the correct version for your machine type.

If you own a DX.211 without a CD drive please see page 6 of this instruction sheet.

Use of a CD drive cleaning disk may be required for some machines if disk read errors are encountered. These are available through electronic goods retailers and PC outlets.

To complete the installation you will need an authorisation code, so please ensure you install it during office hours. Office hours are: Mon-Fri 8:30 hrs to 16:30 hrs.

IMPORTANT:

Please do not call until prompted by the software, Codes are unique to each installation, so cannot be issued in advance.

If you have any problems installing the software, please call/fax, on the numbers on the last page of these instructions, during the hours of Mon-Fri 8:00 hrs to 17:00 hrs.

Please give **exact** details of any error messages displayed.

Always check with the Crypton helpdesk before calling a service engineer

Note:

The Installation disk also contains a 'Battery Monitor' diagnostic program for Bluetooth machines, this application should only be installed on instruction from Crypton Product Support.

INSTALLATION INSTRUCTIONS

The software will automatically install the correct version for your machine.

Close all programs

If your machine has a CMS2 Menu type, as shown here, click the blue arrow at the top left to minimise this menu and show the Windows desktop.



Insert the update CD into your PC Disk Drive

Click Windows 'Start' button


Select 'Run'

In the box type 'D:install.bat'

Click 'OK'.

The installation will begin.

The installer will determine your machine type and install the correct smoke testing software.




[If your machine is a 700 series please turn to page 5 now for instructions](#)



**The installation will present you with 'Maintenance Options'.
The default selection is 'Reinstall all program components installed by the previous setup'**

Click 'Next'



If Windows XP displays a message reporting the software has not passed 'Windows Logo Testing'

Click 'Continue Anyway'




**You will be prompted for an authorisation code.
Make a note of the code displayed and ring the special Authorisations number :**

0844 665 7686

Ensure you call whilst the code is on screen If you restart the install the code will change!

Enter the code issued by Crypton into the text box and

Click 'Next'





The installation will now display a series of screens showing configuration and port settings for Smoke Head, Smart card, Gas analyser, Tachometer Device, Oil Temperature Device and Indicator Handset.

The default settings on all of these configuration screens are defined by your current system configuration, no changes are necessary.

Click 'Next' on each screen to progress.

Files will now be copied to your machine, and the installation will complete. Click 'Finish'


Remove the installation disk, and keep it in a safe place.

Restart your PC

Note:

Depending on your previous level of software, your desktop may now show two icons for Diesel Smoke Test.

If this is the case one of the icons may be deleted. Click the icon once to select it – then press delete on the keyboard. Windows will ask you to confirm you wish to delete the icon.



Running the updated software

Start the smoke test software in the usual manner

When running the new program the windows firewall may display Windows security alerts

Click 'UNBLOCK' for all alerts



The new Euro 4/5 test is now available.

For more information:

See the updated User Manual supplied on your update Disk

Do not use this option for MOT testing until it has been officially introduced by VOSA.





700 series installation: continued from page 2...


You will be prompted for an authorisation code. Make a note of the code displayed and ring the special Authorisations number :

0844 665 7686

Ensure you call whilst the code is on screen, If you restart the install the code will change!

Enter the code issued by Crypton into the text box and

Click 'Install'



If Windows XP displays a message reporting the software has not passed 'Windows Logo Testing'

Click 'Continue Anyway'

Files will now be copied to your machine and the installation will complete. Remove the installation disk, and keep it in a safe place.

Restart your PC.



Running the updated software

Start the smoke test software in the usual manner

When running the new program the windows firewall may display Windows security alerts

Click 'UNBLOCK' for all alerts

The new Euro 4/5 test is now available.


For more information:

See the updated User Manual supplied on your update Disk





Do not use this option for MOT testing until it has been officially introduced by VOSA.



Update by Floppy disk

If you use a **DX.211** machine and require floppy disks to update your machine;

The CD contains all the required files to make your own installation set.
On the CD browse to 600\WUKS2\FloppyDisks.

In this folder are three sub-folders; 'Disk1, Disk2, and Disk3.

Copy the contents of these folders to three formatted floppy disks and label them accordingly.

Our product support team can offer further options and assistance if required.

Ensure you have cleaned your floppy disk drive using an appropriate floppy drive cleaner.

Close all running programs to return to the CMS2 menu

With disk 1 in the drive select the blue floppy disk icon on your CMS2 menu.



Follow instructions from page 3 of this instruction sheet
The installer will prompt you to change disks on screen when required.

Crypton Ltd, Hopton Road Industrial Estate, Devizes, Wiltshire, SN10 2EU

Support lines - Tel: 0844 665 7610 - Fax: 0844 665 7604